

VITA System 12 Vertical Enclosure, Short (9U)




FEATURES:

- 19" Rackmount fully compliant to Eurocard and IEEE standards
- 9U x 84HP x 16" (H x W x D)
- 6U vertical card mounting, recessed 60mm
- 2 to 21 slot VITA-Based System Platforms (VME, VME64x, VPX, VXS, VXI)
- Advanced EMC shielding to meet CE and FCC
- Cooling front to rear
- Wide range of PSU inputs (90 - 264 VAC, 48 VDC)
- Fixed-mount or front pluggable PSUs with redundant hot swap options
- System monitoring for DC voltages, fan fail and over temp (optional)
- Connector options: 3 Row (96 PIN), 5 Row (160 PIN), 5 Row + PO, RT-2
- Ready to run - turnkey solution


SCOPE OF SUPPLY

High quality 19" rackmount chassis platform consisting of alodined aluminum enclosures, high performance VITA System backplane, power supply, cooling system and AC/DC power components. Assembled, wired and tested prior to shipment.


ORDERING INFORMATION



Description	Order Number
<ul style="list-style-type: none"> ■ 15.75"(H) x 17"(W) x 15.74"(D) ■ Holds 12, 6U x 160mm Cards ■ 12 Slot VME or VME64x Backplane ■ 2 x 114 CFM Fans ■ 4 x 5.25" HH Devices ■ 500W: +5V/80A; +12V/10A; -12V/10A, or 600W: +5V/75A; +12V/12A; -12V/4A; 3.3V/40A 	12V12MM598N4VC51 VME
	12V12OP598N4VCF1 64X



Description	Order Number
<ul style="list-style-type: none"> ■ 15.75"(H) x 17"(W) x 15.74"(D) ■ Holds 12, 6U x 160mm Cards ■ 12 Slot VXS Backplane ■ 2 x 3.25" HH Devices ■ 2 x 150 CFM Fans ■ 800W: 5V/120A; +12V/12A; -12V/10A; 3.3V/40A 	12V12LL298N4VCH1 VXS



Description	Order Number
<ul style="list-style-type: none"> ■ 15.75"(H) x 17"(W) x 15.74"(D) ■ Holds 21, 6U x 160mm Cards ■ 21 Slot VME or VME64x Backplane ■ 3 x 114 CFM Fans ■ No Device Mounting ■ 750W: 5V/120A; +12V/12A; -12V/10A, or 800W: 5V/120A; +12V/12A; -12V/10A; 3.3V/40A 	12V21MMX98N4VC71 VME
	12V21OPX98N4VCH1 64X

