

# VITA System 32 Tower Enclosure (Medium)




## FEATURES:

- Portable or Deskside Tower
- 2U, 3U, 4U or 6U x 84HP (W x D)
- 6U horizontal card mounting
- 3, 5, 7 and 12 slot VITA-Based System Platforms (VME, VME64x, VPX, VXS, VXI)
- Advanced EMC shielding (optional) to meet CE and FCC
- Cooling front to rear
- Wide range of PSU inputs (90 - 264 VAC, 48 VDC)
- Attractive scratch resistant vinyl clad aluminum covers
- Fixed-mount or front pluggable PSUs with redundant hot swap options
- System monitoring for DC voltages, fan fail and over temp (optional)
- Connector options: 3 Row (96 PIN), 5 Row (160 PIN), 5 Row + PO
- Ready to run - turnkey solution

## SCOPE OF SUPPLY

High quality portable or deskside tower platform consisting of vinyl clad aluminum enclosures, high performance VITA System backplane, power supply, cooling system and AC/DC power components. Assembled, wired and tested prior to shipment.

## ORDERING INFORMATION



| Description   | Order Number                   |
|---|--------------------------------|
| <ul style="list-style-type: none"> <li>■ 17"(H) x 3.50"(W) x 16.53"(D)</li> <li>■ Holds 3, 6U x160mm Cards</li> <li>■ 3 Slot VME or VME64x Backplane</li> <li>■ 1 x 3.5" Device</li> <li>■ 1 x 35 CFM Fan</li> <li>■ 150W: +5V/15A; +12V/5A; -12V/1A; -5V/1A, or</li> <li>■ 250W: 5V/40A; +12V/6A; -12V/6A; 3.3V/20A</li> </ul> | 32V03MM128N4VC10<br><b>VME</b> |
|   | 32V03OP128N4VCB0<br><b>64X</b> |
| <ul style="list-style-type: none"> <li>■ 17"(H) x 5.25"(W) x 13.38"(D)</li> <li>■ Holds 5, 6U x160mm Cards</li> <li>■ 5 Slot VME or VME64x Backplane</li> <li>■ 2 x 3.5" Device</li> <li>■ 1 x 50 CFM Fan</li> <li>■ 150W: +5V/15A; +12V/5A; -12V/1A; -5V/1A, or</li> <li>■ 250W: 5V/40A; +12V/6A; -12V/6A; 3.3V/20A</li> </ul> | 32V05MM238N3VC10<br><b>VME</b> |
|   | 32V05OP238N3VCB0<br><b>64X</b> |
| <ul style="list-style-type: none"> <li>■ 17"(H) x 7"(W) x 13.38"(D)</li> <li>■ Holds 7, 6U x160mm Cards</li> <li>■ 7 Slot VME or VME64x Backplane</li> <li>■ 2 x 5.25"HH Device</li> <li>■ 1 x 90 CFM Fan</li> <li>■ 250W: 5V/40A; +12V/6A; -12V/6A; 3.3V/20A</li> </ul>  | 32V07MM448N3VC20<br><b>VME</b> |
|   | 32V07OP448N3VCB0<br><b>64X</b> |
| <ul style="list-style-type: none"> <li>■ 17"(H) x10.5"(W) x 16.53"(D)</li> <li>■ Holds 5, 6U x160mm Cards</li> <li>■ 5 Slot VPX Backplane</li> <li>■ No Mounting Device</li> <li>■ 2 x 190 CFM Fans</li> <li>■ 1300W: 5V/40A; 12V/50A; 12V/16,7A; -12V/16.7A; 3.3V/40A</li> </ul>   | 32V05PSX68N4VCM0<br><b>VPX</b> |

